

TABLES

POLISHING STATIONS & ACCESSORIES



/// BECOTECHNIC


Crevoisier SA exclusive distribution in Germany
Beco Technik GmbH · 21500 Geesthacht · Germany
Tel. +49 4152 809680 · www.beco-technik.com

 
CREVOISIER
Innovation & Perfection

TABLES

The tables provide you with a rigid support for manual work and specific settings for your needs.

The tables presented below are the “standard” ones. We can design developments specific to your application.





3D tables

ITEM	DESCRIPTION	ITEM NO.
	3D table with fine setting, standard L = 80 mm (without support)	C501-TA-10 1000358
	3D table with fine setting, long version L = 110 mm (without support)	C501-TA-10.B 1021357
	3D table with fine setting, and recess for inter-horn area polisher width 10-25 mm L = 110 mm (without support)	C501-TA-10.C 1021361
	3D table with fine setting, and recess for inter-horn area polisher width 4-8 mm L = 110 mm (without support)	C501-TA-10.D 1026108
	3D table with fine setting and threaded rod for horizontal belt device L = 80 mm (without support)	C501-TA-70 1000747



TABLES

Special tables

Special table

ITEM	DESCRIPTION	ITEM NO.
	<p>3D table with support rule and slide calliper graduated to 0.01 mm (with support)</p> 	<p>C501-TA-21 1000742</p>



Cross slide

ITEM	DESCRIPTION	ITEM NO.
	<p>Cross slide mounted on guide rail, with 3 micrometric stops (without support)</p> 	<p>C501-TA-40 1000744</p>

TABLES

“Feet” supports

“Feet” supports

ITEM	DESCRIPTION	ITEM NO.
	Support height 50 mm for disc (clamping handle + screws included)	C501-AC-040 1000769
	Reinforced support height 200 mm for belt device (clamping handles + screws included)	C501-AC-120 1001135

TABLES

Application examples


3D table with a recess, and an inter-horn area device

See the specific chapter for the accessories



3D table with a belt device

See the specific chapter for the accessories



TABLES

Application examples



3D table fitted with a support ruler and a 0.01 mm slide calliper, with a disc
See the specific chapter for the accessories

Cross slide with an inter-horn area device
See the specific chapter for the accessories



TABLES

Application examples

3D table with support and a dovetail disc
See the specific chapter for the accessories



3D tables with an angle transmission drive and a horizontal belt device
See the specific chapter for the accessories

