MICROMOTORS

POLISHING STATIONS & ACCESSORIES







MICROMOTORS

Badeco

Badeco micromotors can be used for polishing and micro-filing operations, etc. This range of accessories supplements the options provided by Crevoisier polishing stations.

The interchangeable hand tool offers great flexibility. The MX1 Strong model can be ergonomically integrated onto workbenches.

TECHNICAL SPECIFICATIONS

- Carbon controller;
- Micromotor:
 - Speed 2000 to 20,000 rpm
- Setting on unit
 - 70 to 150W 10.2 N/cm2
- Start / stop pedal or with variable speed drive (optional)
- Support for controller and micromotor;
- 450 hand tool:
 - ¼-turn quick-clamping without stopping the motor;
 - Ø 2.35 mm:
- Double dust protection;
- Concentricity factory guaranteed to 0.03 mm;
- Installation and wiring on station;







Micromotor

DESCRIPTION ITEM NO.

Micromotor installed on station

C501-BAD-10 1201319

Optionnal

N°	DESCRIPTION		ITEM NO.	
0	Spindle support (C-5100 / C-5001)			
_		PC 200 Start / Stop pedal	C501-BAD-11 1205088	
-		PC 800 variable pedal	C501-BAD-12	

We offer a wide range of fittings according to the optional accessories you select.
For the choice of accessories, see the specific chapters.





MICROMOTORS

Accessory

Collets

ARTICLE	DESCRIPTION	Ø [mm]	ITEM NO.	
RA	Collet for 450 hand tool Ø	0.55	C501-BAD-PI-0.55	1202304
	Collet for 450 hand tool Ø	0.80	C501-BAD-PI-0.80	1202305
	Collet for 450 hand tool Ø	1.05	C501-BAD-PI-1.05	1202306
	Collet for 450 hand tool Ø	1.55	C501-BAD-PI-1.55	1202307
	Collet for 450 hand tool Ø	2.05	C501-BAD-PI-2.05	1202308
(00)	Collet for 450 hand tool Ø	2.35	C501-BAD-PI-2.35	1202309
Calco	Collet for 450 hand tool Ø	2.55	C501-BAD-PI-2.55	1202310
CO.	Collet for 450 hand tool Ø	3.05	C501-BAD-PI-3.05	1202311
	Collet for 450 hand tool Ø	3.20	C501-BAD-PI-3.20	1202312
	Collet kit Ø, 9 pieces	0.55 to 3.20	C501-BAD-PI-KIT	1202313

Microfile

ARTICLE	ITEM NO.	
	Microfile	C501-BAD-100

TECHNICAL SPECIFICATIONS

- Ø10 mm grip
- Weight 75 g
- Friction stroke 1 mm
- Noise <30dB
- Speed 500 to 5000 rpm
- Vibration 0.1 m/s²

Examples of applications



Stand-alone universal polishing station with a C-5100 machine, a Badeco motor, a Taneo universal lamp (LED) and a laminate-coated worktop

Short deburring stand-alone station with a protective cover, a Badeco motor, and a laminate-coated worktop





